



Ultra Slim Cube Series

72" WUXGA LED Lit Rear Access Video wall

- Ultra Slim DLP™ Cube
- WUXGA Resolution
- Novel Cooling Mechanism
- Browser/Server Based Architecture





www.deltadisplays.com



Ultra Slim Cube Series

Delta's Ultra Slim Cube Series is a rear projection, LED lit WUXGA Video wall that offers high brightness, true cube redundancy and super slim form factor. A path breaking innovation, these cubes are Ultra Slim and thus can be used in space starved control rooms as well.



Specifications

Model		DVS-7299S9	
Native Resolution		WUXGA, 1920 x 1200	
Description		LED Light Source WUXGA Cube	
Display Technology		DLP, single chip	
Brightness		Typ. 1,100 Lumens	
Dynamic Contrast		1,500,000 : 1	
White Point		3200K, 6500K and 9300K	
Uniformity		Up to 96%	
Screen Type		FXS / XPS / High Gain / Delta Selected / Others	
Screen Gap		Adjustable up to 0.2 mm	
Lamp Type		3 x 6 Fold LED	
Estimated Lamp Life		Eco Mode : 80,000 hours	
		Typ. Mode : 60,000 hours	
Standard Inputs		1x Digital DVI-I (Dual Link), 1x Digital HDMI, 1x Analog D-sub 15pin, 1x Analog 5BNC (RGBHV or YPbPr)	
Standard Outputs		1x Digital DVI-D (Dual Link)	
Control		1x RS-232 Dsub9, 1x RS 422 Rj45, 1x IP Ethernet Rj45, 1x IR Receiver	
Optional Board	I*	Inputs	1x Digital DVI-D, 1x Digital HDMI, 1x Display port, 1x Analog 5BNC (RGBHV or YPbPr), 1x Analog S-video
	II*	Inputs	1x Digital DVI-D, 1x 3G-SDI, 1x Display port, 1x Analog 5BNC (RGBHV or YPbPr), 1x Analog S-video
		Output	1x 3G-SDI
III*	Inputs	1x Digital DVI-D, 1x HD-baseT, 1x Display port, 1x Analog 5BNC (RGBHV or YPbPr), 1x Analog S-video	
Input Voltage		AC 90 - 240V @50/60Hz	
Power Consumption		Max : < 290 W	
		Typ. : < 260 W	
		Eco : < 210 W	
Option Backup Power		Dual power supply unit	
Operating Temperature		10°C - 40°C (50°F - 104°F)	
Non-Operating Temperature		-20 °C - 60 °C (-4°F - 140°F)	
Humidity		10% - 90%, non-condensing	
Dimensions (WXHxD)		1550 X 969 X 732 mm	

Note: * Only one of the optional boards can be used with standard input / output board.